



**** Historical View **** Note: In the process of enhancing our systems, we are transitioning data to a new Product iQ data view. This data is being verified with the "Historical" view for accuracy. Once the data is confirmed, the "Historical" view will be discontinued. During this transition, you may encounter duplicate entries or missing/outdated data. For queries during this interim period, please visit our [Historical View FAQs](#) or contact our [Customer Service](#).

Cord Sets and Power-supply Cords Certified for Canada

COMPANY
YUYAO XINSHENG ELECTRONICS CO LTD
7# GONGJI ROAD INDUSTRIAL PARK SIMEN TOWN
YUYAO, Zhejiang 315472 China

E308327

Power supply cords

Cat. No.	ANSI/NEMA WD6 Config	Cord AWG	Cord Type	Electrical Rating Amps V
XS-2	1-15	16	SPT-2	13
		16	SPT-2W	13
		16	NISPT-2	13
		16	HPN	13
		16	SJT	13
		16	SJTW, SJTOW, SJTOOW	13
		18	SPT-1	10
		18	SPT-2	10
		18	SPT-2W	10
		18	SPT-3	10
		18	NISPT-1	10
		18	NISPT-2	10
		18	SVT	10
		18	SJT	10
		18	SJTW, SJTOW, SJTOOW	10
XS-3	5-15	12,14	SJT	15

Cookies on UL Solutions

We use cookies to personalize content and ads, to provide social media features and to analyze our traffic. We also share information about your use of our site with our social media, advertising and analytics partners. [Learn more](#)

		16	SJT	13
		16	SJTW, SJTOW, SJTOOW	13
		17	SVT	12
		18	SPT-2	10
		18	SPT-2W	10
		18	SPT-3	10
		18	SVT	10
		18	SJT	10
		18	SJTW, SJTOW, SJTOOW	10
<i>XS-3B</i>	5-15	18	SPT-2, SVT, SJT, SJTW	10
		16	SPT-2, SVT, SJT, SJTW	13
		14	SJT, SJTW	15
<i>XS-3P</i>	5-15	18	SVT, SJT, SJTW, ST, STW	10
		16	SVT, SJT, SJTW, ST, STW	13
		14	SJT, SJTW	15

Special-use cord sets

Cat. No.	CSA C22.2 No. 60320 Config	Cord AWG	Cord Type	Electrical Rating Amps V
<i>XSZ3</i>	Sheet E	18	SVT	10, 125 or 250
		18	SJT	10, 125 or 250
		18*	SJTW(SJTOW, SJTOOW)	10, 125 or 250
		16	SJT	13, 125 or 250
		16	SJTW(SJTOW, SJTOOW)	13, 125 or 250
<i>XST3</i>	C13	18	SVT	10, 125 or 250
		18	SJT	10, 125 or 250
		18*	SJTW(SJTOW, SJTOOW)	10, 125 or 250
		16	SJT	13, 125 or 250
		18*	SJTW(SJTOW, SJTOOW)	10, 125 or 250
<i>XS-3K</i>	5-15P	18	SVT, SJT, SJTO, SJTOO,	10
			ST, STO, STOO, SJTW, SJTOW, SJTOOW,	
			STW, STOW, STOOW	
		17	SVT	12

Cookies on UL Solutions

We use cookies to personalize content and ads, to provide social media features and to analyze our traffic. We also share information about your use of our site with our social media, advertising and analytics partners. [Learn more](#)

<i>XS-3Z</i>	5-15R	16	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW,	13
			ST, STW, STO, STOW, STOO, STOOW	
		14	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	15
<i>XS-3T</i>	-Y-Joint	18	SVT, SJT, SJTO, SJTOO, ST, STO, STOO,	10
			SJTW, SJTOW, SJTOOW, STW, STOW, STOOW	
		16	SVT, SJT, SJTO, SJTOO, ST, STO, STOO,	13
			SJTW, SJTOW, SJTOOW, STW, STOW, STOOW	
		14	SJT, SJTO, SJTOO, SJTW, SJTOW, SJTOOW	15

Last Updated on 2021-04-26

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC"

Cookies on UL Solutions

We use cookies to personalize content and ads, to provide social media features and to analyze our traffic. We also share information about your use of our site with our social media, advertising and analytics partners. [Learn more](#)